

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/305765448>

Shilajitin Cancer Treatment: Probable Mode of Action

Article · February 2016

CITATIONS

3

READS

2,495

4 authors, including:



Akhilesh Verma

Banaras Hindu University

6 PUBLICATIONS 8 CITATIONS

[SEE PROFILE](#)



Laxmi Narayan Gupta

22 PUBLICATIONS 14 CITATIONS

[SEE PROFILE](#)

Some of the authors of this publication are also working on these related projects:



Ayurvedic drug standardization [View project](#)



Study of Shilajit & Amalaki on Quality of Life in Cervical Cancer Patients. [View project](#)

REVIEW ARTICLE

Shilajitin Cancer Treatment: Probable Mode of ActionAkhilesh Kr Verma^{*1}, Neeraj Kumar², L.N. Gupta³, Sunil Chaudhary⁴¹Research Scholar, Department of Rasa Shastra, Faculty of Ayurveda, IMS, BHU, India²Professor, Department of Rasa Shastra, Faculty of Ayurveda, IMS, BHU, India³Assistant Professor, Department of Rasa Shastra, Faculty of Ayurveda, IMS, BHU, India⁴Assistant Professor, Department of Radiotherapy & Radiation Medicine, IMS, BHU, India

Received 10Oct 2015; Revised 02Feb 2016; Accepted 13Feb 2016

ABSTRACT

Cancer is a horrible disease which is leading cause of death after cardiovascular disease. The principal etiological factor for cancer comprise mutagens, toxins, free radicals, radiations apart from many other causes, inflammation can increase the threat of cancer development and progression. Indian medical system i.e. *Ayurveda* was used as a means for the prevention of the effects of aging and generation of disease. *Shilajiti* is a potent rejuvenator and having adaptogenic action. Since thousands of years many therapeutic assets have been ascribed to it, some pharmacological properties have been verified by modern scientific evaluation. *Shilajit* has been attributed with many miraculous restorative properties, improve the quality of life and it seemed to cure all diseases. *Shilajit* is a brownish-black colored herbo-mineral medicine, collected from the high altitude mountains of many parts of the world. In this review we have focused on the cancer preventive and therapeutic properties of active principles of *Shilajit*. *Shilajit* possess anti-inflammatory, antioxidant, anti-mutagenic, immuno-modulator, antitumor, and photo-protective properties. These assets make *Shilajit* useful agents for cancer therapy and prevention.

Keyword: *Shilajit*, Adaptogenic, Anti-oxidant, Anti-inflammatory.**INTRODUCTION**

Cancer is the leading cause of death after the cardiovascular disease and is the major health disaster, causing approximately 7 million deaths every year worldwide. Now a day we acquire surgical intervention which is not able to cope up effectively with this horrible disorder. The conventional therapies i.e. chemotherapy, radiotherapy, immunotherapy for cancer treatment are not so efficient. Thus, there is a vital obligatory to approaches for the cancer management by natural agent like *shilajit*. *Shilajit* is brownish black herbo-mineral compound mainly composed of humic acid and fulvic acid. Humic and fulvic acid have been well reported to retain cancer preventive properties^[1]. These compounds can constrain mutagenesis and having free radicals scavenging, photo-protecting and anti-inflammatory properties that can prevent the cancer progression. *Shilajit* is non-toxic, natural compound which can be taken orally for

preserving good health. Therefore, it is necessary that future clinical research work should focus on phyto-constituents and pharmacological action of *shilajit* in reference of cancer treatment as an alternative. In this review, we address the use of *shilajit* and its components for the inhibition and controlling of cancer^[2]. *Shilajit* is considered as a vibrant medicament in the ancient classics as remedies and presently also extensively used by the *Ayurvedic* physicians for a various disorder. In *Ayurvedic* classical texts like *Charaka Samhita* and *Susruta Samhita* describe the use of *shilajit* as a treatment for all ailment of our body as well as a *rasayana* (rejuvenative) to increase the endurance^[3]. *Shilajit* encompasses a humic substance i.e. fulvic acid (FA) and humic acid (HA) (60-80%), minerals (20-40%) and up to 5% of trace elements (Fe, Ca, Cu, Zn, Mg, Mn, Mo, P)^[4,5]. The chief and active constituents responsible for the *shilajit* activities is the fulvic acid and humic acid. By virtue of the FA *shilajit*

has many biological functions and uses ^[6, 7] which acts as carrier molecule. The low molecular *shilajit*. *shilajit* has been used for the treatment of hypersensitivity, diabetes, digestive disorder, nervous ailment, tuberculosis, chronic bronchitis, asthma, anemia, eczema, bone fractures, genitourinary ailment and many other diseases ^[8, 9]. The humic compounds of *shilajit* can be a potential cancer preventive agent. Anti-inflammatory, anti-oxidative, anti-mutagenic, immuno-modulatory and several other effects of *shilajit* have been already reported.

Pharmacological Actions of *Shilajit* (Humic&FulvicAcid) in Cancer Prevention:

It is assumed that *shilajit* can play an important role in cancer prevention and possibly in its treatment. The general pharmacological actions of *shilajit* in relation to cancer therapy are summarized below.

Anti-Oxidant Properties:

Free radicals are molecules with incomplete electron shells, which make them more chemically reactive than those of complete electron shells. Exposure to various environmental factors, including tobacco smoke and radiation, can also lead to free radical development. In humans, the most extensive form of free radicals is oxygen. When an oxygen molecule (O₂) becomes electrically charged, it tries to take electrons from other molecules, and thus can cause damage to DNA proteins and cell membrane^[10]. Such damage specially damage in DNA could become irreversible and might lead to illness including cancer^[11]. Antioxidants are substances that may protect cells from the damage caused by unstable molecules (free radicals) by neutralizing their electrical charge and thus can prevent the free radical damage in cells^[11]. Free radicals which are generated during cancer chemotherapy and radiation therapy, can damage the normal cell around the vicinity of the tumor cell, which makes the cancer treatment rather painful. The anti-cancer drugs damages the cellular DNA by producing the reactive oxygen species (ROS) hence the antioxidants can be used with the cancer therapy to reduce the pain and the severity of the side effects ^[11]. HA compound are brilliant antioxidants along with anti-lipid per-oxidative activity ^[12]. *Shilajit* has free radical scavenging or antioxidant properties against the NO & OH and this antioxidant activity depends on the increasing concentration of the humic compounds present in *shilajit*^[01]

weight bioactive organic compound such as oxygenated dibenzo- α -pyrones is also present in

Anti-Inflammatory Properties:

The inflammation is measured to induce the cancer progression, development and the metastasis ^[10]. It has been shown that the HA matters has anti-inflammatory properties ^[01]. *Shilajit* has anti-inflammatory properties confirmed in the study of the Goel et al^[13]. They have shown that the *shilajit* can reduce the inflammation such as pedal oedema and granuloma pouch in rats induced by the carrageenan. In addition, *shilajit* can also reduce the adjuvant induced arthritis in rats. In another study the humic compounds derived from the coal was found to inhibit the inflammation responded ear swelling in the rats ^[14]. Lowen et al have described that HA alone or HA combined with other anti-inflammatory drugs such as indomethacin were beneficial for the chronic and acute inflammation in the male SparagueDwleyrats^[15]. Van Rensburg et al have shown that the presence of potassium humate reduces the level of pro-inflammatory cytokines like TNF- α , IL-1 β , IL-6 and IL-10 produced by mononuclear cells and also the compliment activation^[16]. HA can inhibit the degranulation of the neutrophils during inflammation, moreover it is an anti-allergic agent ^[17,18]. It has been oxifulvic acid may be beneficial in the clinical treatment of inflammatory skin conditions in humans as, FA possesses anti-inflammatory properties ^[19].

Photo Protective Properties:

The exposure to the radiation as the ultraviolet (UV) rays can leads to the long-term DNA damage by forming the thymine dimer in the DNA which can lead to mutations and cancer. *Shilajit* can function as photo-protective agent, as reviewed by Meena et al 2010^[20]. The humic compounds have been proved to be excellent agents for reduction of gene mutation caused by pollutants and mutagens. Toxins, pesticides, radioactive metals, petroleum products, polyaromatic hydro-carbons and heavy metals can be inactivated by HA^[21]. Moreover, it reduces bioavailability of the hazardous matters and averts the formation of the mutagenic or carcinogenic compound and prevent DNA damage in the cell^[22]. Marova et al have shown that processed HA can inactivate the mutagens which were tested on the yeast^[23]. They used 4-nitroquinoline-N-oxide (4-NQO), a mutagen on *Saccharomyces cerevisiae* D7 to check the anti-mutagenic

properties of the sodium or potassium humate and found that the sodium humate have significant anti-mutagenic property against the 4-NQO. Furthermore, Zhang et al checked the toxicity and the HA [24]. These results illustrated that the HA reduces the bioavailability and toxicity of these two ILs and also HA increases the viability around 50% of HepG2 cell line against the two ILs. It has been shown that HA possesses significant cytotoxic activity in the CEM (acute T lymphoblastic leukaemia) cell line [25]. HA have been found to exert anti-proliferative action and growth inhibition on HL-60 cells through induction of apoptosis by activating the caspase-3 and mitochondrial cytochrome-c in these cells [26]. HA has also been found to induce the apoptosis and inhibit the growth in the human smooth muscle cells. Hseu et al, have reported that HA has been found to inhibit the proliferation of the smooth cells in the G1 phase of the cell cycle and led to the apoptotic cell death of smooth muscles cells [27]. *Shilajit* and HA matters are immune-modulatory agents [28]. *Shilajit* helps the immune system for increased cytokine production by activated immunological cells and maintains the cell integrity [29]. All biological molecules are prone to oxidative damage by free radicals such as reactive oxygen species (ROS) and reactive nitrogen species (RNS). This oxidative damage leads to various disease conditions, viz., heart disease [30], autism [31], cancer [32,33], diabetes [34], Arthritis [35], Alzheimer's dementia [36], Parkinson's disease [37], cataracts [38], and aging [39]. Antioxidants are the compounds that prevent this oxidative damage by different mechanisms [40] however synthetic antioxidants possess adverse effects [41].

Immuno-Modulatory Activity:

Shilajit as an immune-modulator agent was studied in mice that were given either *shilajit* extract or a placebo. The white blood cell activity was studied and monitored at intervals after receiving the *shilajit* extract or a placebo. It was found that the white blood cell activity was increased after administration of *shilajit* extract. The activity increased as the dose of *shilajit* extract and time of exposure was increased [42]. *Shilajit* and its combined constituents elicited and activated to different degrees, murine peritoneal macrophages and activated splenocytes of tumor-bearing animals at early and later stages of tumor growth. In another experiment, the effect of *shilajit* was determined on the levels of brain monoamines in rats. It was found that *shilajit* at a dose of 25 and 50 mg/kg i.p. for 5 days

bioavailability of the ionic liquids (ILs), 1-butyl-3-methylimidazolium chloride and 1-octyl-3-methylimidazolium chloride, in the presence of

significantly reduced the level of 5-hydroxy tryptamine and 5-hydroxy indole acetic acid and increased the level of dopamine, noradrenaline and their metabolites in rat brain. These changes in neurotransmitter levels are similar to those seen in cases of increased humoral (immune) activity and hence validate its use as an *Ayurvedic rasayana*. [43].

Ayurvedic View:

The *Caraka Samhita* deliberates *shilajit* in a chapter as rejuvenation therapy (*rasayana*). It has been suggested that the contemporary *of rasayana* is an adaptogenic substance [44]. The *Caraka Samhita* states that there is no curable disease in the universe, which is not effectively cured by *shilajit* when it is administered at the appropriate time, combination with suitable drugs and by adopting the prescribed method. When administered to a healthy person, with similar conditions it produces immense energy. In the *Sushruta Samhita*, it is noted that there is no physical distemper, which does not yield by highly therapeutic qualities of *shilajit*. When gradually taken, (in adequate doses) it tends to improve the strength and complexion of the body [45]. The ancient *Ayurvedic* text *Astana Hrdayam* also states that it is the best rejuvenator [46].

CONCLUSION

Humic and fulvic acid have been reported to possess cancer preventive properties. It has been shown that these compounds can inhibit mutagenesis and have free radicals scavenging, photo-protecting, anti-inflammatory and toxic compound removing properties that can inhibit the cancer development. *Shilajit* is non-expensive, non-toxic compound which can be taken orally. Therefore, it is rational that future clinical studies should focus on examining the efficacy of *Shilajit* and its active constituents in cancer prevention as an alternative pharmacological agents. In this review, we address the use of *Shilajit* and its constituents for the prevention and management of cancer. *Shilajit* is one such compound, which has been used in *Ayurveda* for centuries. The humic compounds of *Shilajit* can be a potential cancer preventive agent. Anti-inflammatory, anti-oxidative, anti-mutagenic, immuno-modulatory and several other effects of *Shilajit* have been already reported.

REFERENCES

1. Peña-Méndez EM, Havel, J, Patočka J. Humic substances - compounds of still unknown structure: applications in agriculture, industry, environment, and biomedicine. *Appl Biomed*. 2005; 3:13-24.
2. Kishor Pant, Bimala Singh, Nagendra Thakur; Shilajit: A Humic Matter Panacea for Cancer International Journal of Toxicological and Pharmacological Research 2012; 4(2): 17-25.
3. Talbert R. Shilajit a materiamedica monograph, Degree paper Grass Valley, California: California College of Ayurveda; 2004.
4. Ghosal S, Lal J, Singh SK. The Core Structure of Shilajit Humus. *Soil BiolBiochem*. 1991;23:673-80.
5. Frolova LN, Kiseleva TL. Chemical Composition of Mumie and Methods for Determination of Its Authenticity and Quality. *ChemPharm J*. 1996;8:49-53.
6. Ghosal S, Singh SK, Kumar Y, Srivastava RS, Goel RK Dey, Bhattacharya SK. Anti-Ulcerogenic Activity of Fulvic Acids and 4'-Methoxy-6-Carbomethoxybiphenyl Isolated From Shilajit. *Phytother Res*. 1988;2:187-91.
7. Schepetkin I, Khlebnikov A, Kwon BS. Medical Drugs From Humus Matter: Focus on Mumie. *Drug Dev Res*. 2002;57:140-59.
8. Goel RK, Banerjee RS, Acharya SB. Antiulcerogenic and Antiinflammatory Studies With Shilajit. *J Ethnopharmacol*. 1990;29:95-103.
9. Acharya SB, Frotan MH, Goel RK, Tripathi SK, Das PK. Pharmacological Actions of Shilajit. *Indian J Exp Biol*. 1988;26:775-77.)
10. Wiseman H, Halliwell B. Damage to DNA by reactive oxygen and nitrogen species : role in inflammatory disease and progression to cancer. *Biochem J* 1996; 313:17-29.
11. Borek C. Dietary Antioxidants and Human Cancer. *Integrative cancer therapies* 2004;3(4):333-41.
12. Schepetkin IA, Khlebnikov AI, Ah SY, Woo SB, Jeong CS, Klubachuk ON, Kwon BS. Characterization and Biological Activities of Humic Substances from Mumie. *J Agric Food Chem* 2003;51:5245-54.
13. Goel RK, Banerjee RS, Acharya SB. Antiulcerogenic and antiinflammatory studies with Shilajit. *J Ethnopharmacol*. 1990;29:95-103.
14. Van Rensburg CEJ, Snyman J R, Mokoele T, Cromarty A D. Brown Coal Derived Humate Inhibits Contact Hypersensitivity; An Efficacy, Toxicity and Teratogenicity Study in Rats. *Inflammation*. 2007;30(5).
15. Lown JF, Gill K, Cutler SJ, Cutler HG, Pollock SH, inventor; Anti-inflammatory humate compositions and metohs of use thereof. Dallas, TX (US)2006.
16. Van Rensburg CEJ, and Naude PJ. Potassium Humate Inhibits Complement Activation and the Production of Inflammatory Cytokines In Vitro. *Inflammation*. 2009;32(4):270-76.
17. Gisela K, Elizabeth C, Rensburg JV. An *In Vitro* Investigation of the Anti-Inflammatory Properties of Potassium Humate. *Inflammation*. 2004; 28:169-74.
18. Amada PY, Isoda H, Yamaguchi T, Talorete TPN, Abe Y. Inhibitory Effect of Fulvic Acid Extracted from Canadian Sphagnum Peat on Chemical Mediator Release by RBL-2H3 and KU812 Cells. . *BiosciBiotechnolBiochem* 2007; 71:1294-305.
19. Van Rensburg CEJ, Malfeld SCK, Dekker J. Topical Application of Oxifulvic Acid Suppresses the Cutaneous Immune Response in Mice. *Drug development research*. 2001; 53:29-32.
20. Meena H, Pandey HK, Arya MC, Ahmed Z. Shilajit: A panacea for high-altitude problems. *International Journal of Ayurveda Research*. 2010;1(1):37-40.
21. Yates LM, Wandruszka, R.V. Decontamination of Polluted Water by Treatment with CrudeHumic Acid Blend. *Environ Sci Technol*. 1999; 33:2076-80.
22. Perminova IV, Hatfield, K. Remediation Chemistry of Humic Substances: Theory and Implications for Technology. In: Perminova IV, editor. *Use of Humic Substances to Remediate Polluted Environments: From Theory to Practice*. Netherlands: Springer; 2005; 3-36.
23. Marova I, Kucerik J, Duronova K, Mikulcova A, Vlckova Z. Antimutagenic

- and/or genotoxic effects of processed humic acids as tested upon *S. cerevisiae* D7. *Environ ChemLett* 2011; 9:229-33.
24. Zhang Z, Liu J, Cai X, Jiang W, Luo W, Jiang G. Sorption to Dissolved Humic Acid and Its Impacts on the Toxicity of
 26. Yanga HL, HseuYC, Yi-Ting Hseua, Luc FJ, Linb E, Laid JS. Humic acid induces apoptosis in human premyelocytic leukemia HL-60 cells. *fe Sciences*. 2004;75(15):1817-31.
 27. Hseu YC, Lin E, Chen JY, Liua R, Huang CY, Lu FJ, Liao JW, Chen SC, Yang HL. Humic Acid Induces G1 Phase Arrest and Apoptosis in Cultured Vascular Smooth Muscle Cells. *Environmental Toxicology*. 2008; 24:243-58.
 28. Schepetkin IA, Khlebnikov AI, Ah SY, Woo SB, Jeong CS, Klubachuk ON, Kwon BS. Characterization and Biological Activities of Humic Substances from Mumie. *J Agric Food Chem* 2003;51:5245-54.
 29. Ghosal S. Chemistry of Shilajit, an immunomodulatory Ayurvedic rasayan. *Pure & Appl Chem*. 1990;62(7):1285-88.
 30. Singh U, Jialal I. Oxidative stress and atherosclerosis. *Pathophysiology* 2006; 13: 129-142.
 31. Chauhan A, Chauhan V. Oxidative stress in autism. *Pathophysiology* 2006; 13: 171-181.
 32. Babbs CF. Free radicals and the etiology of colon cancer. *Free Radical Biol Med* 1990; 8: 191-200.
 33. Sun Y. Free radicals, antioxidant enzymes and carcinogenesis. *Free Radical Biol Med* 1990; 8: 583-599.
 34. Jain SK, McVie R, Bocchini JA. Hyperketonemia (ketosis), oxidative stress and type 1 diabetes. *Pathophysiology* 2006; 13:163-170.
 35. Mahajan A, Tandon VR. Antioxidants and rheumatoid arthritis. *J Indian Rheumatol Assoc* 2004; 12: 139-142.
 36. Chauhan V, Chauhan A. Oxidative stress in Alzheimer's disease. *Pathophysiology* 2006; 13: 195-208.
 - Imidazolium Based Ionic Liquids. *Environ Sci Technol*. 2011;45:1688-94.
 25. Vašková J, Veliká B, Pilátová M, Kron I, Vaško L. Effects of humic acids in vitro. *In Vitro CellDevBiol-Animal*. 2011;47:376-82.
 37. Sudha K, Rao AV, Rao S, Rao A. Free radical toxicity and antioxidants in Parkinson's disease. *Neurol India* 2003; 51(1): 60-62.
 38. Vinson JA. Oxidative stress in cataracts. *Pathophysiology* 2006; 13: 151-162.
 39. Dizdaroglu M, Jaruga P, Birincioglu M, Rodriguez H. Free radical-induced damage to DNA: Mechanisms and measurement. *Free Radical Biol Med* 2002; 32(11): 1102-1115.
 40. Bergendi L, Benes L, Durackova Z, Ferencik M. Chemistry, Physiology and pathology of free radicals. *Life Sci* 1999; 65(18/19): 1865-1874.
 41. Chanda S, Dave R. In vitro models for antioxidant activity evaluation and some medicinal plants possessing antioxidant properties: An overview. *Afr J Microbiol Res* 2009; 3(13): 981-996.
 42. Bhaumik S, Chattopadhyay S, Ghosal S. 1993. Effects of Shilajit on mouse peritoneal macrophages. *Phytother Res* 7: 425-427.
 43. Ghosal S. 1990. Chemistry of Shilajit, an immunomodulatory Ayurvedic rasayan. *Pure Appl Chem (IUPAC)* 62: 1285-1288.
 44. Ghosal S, Lal J, Srivastava RS, Bhattacharya SK, Upadhyay SN, Jaiswal AK, Chattopadhyay U. Immunomodulatory and CNS effects of sitoindosides IX and X. *Phytotherapy Res* 1989; 3: 201-6.
 45. Bhishagratna KK. *Susruta Samhita Vol 2, Chapter XIII*. Varanasi, India: Chowkhamba Sanskrit Series Office, Varansi-1, 1998.
 46. Murthy, KRS. *Astanga Hridayam*. 5th edition. Krishnadas Academy, Varanasi, India, 2001.